

### **AMENDMENTS TO THE CLAIMS**

Claim amendments made herein are discussed in the Remarks. A complete listing of the claims as amended herein follows.

1. *(Currently amended)* A computer implemented method of generating a geologic model of a rock property useful in petroleum exploration and production, which model has directionally varying continuity, comprising:

a) specifying a tentative model of a subsurface region of interest for said geologic model;

b) identifying connected strings of nodes within said tentative model, wherein a grid of azimuths is used to identify said connected strings of nodes;

c) performing a spectral simulation on each of said connected strings of nodes resulting in a simulated value of the rock property at each node;

d) ~~updating said tentative model with data values resulting from said spectral simulations~~ by substituting the simulated rock-property values for the values in the corresponding nodes in the tentative model.

2. *(Cancelled)*

3. *(Previously presented)* The method of claim 1, wherein said tentative model is subdivided into layers, and steps b), c) and d) are performed on a layer-by-layer basis.

4. *(Previously presented)* The method of claim 1, wherein for each of said connected strings of nodes said spectral simulation comprises:

a) determining a phase spectrum from a Fourier transform of each of said connected strings of nodes;

b) specifying an amplitude spectrum which represents the maximum-desired spatial continuity for each of said connected strings of nodes; and

c) inverse Fourier transforming said phase spectrum and said amplitude spectrum to determine updated data values for said nodes in each of said connected strings of nodes.

5. *(Previously presented)* The method of claim 4, wherein one or more of each of said connected strings of nodes is padded with additional data values prior to calculation of the Fourier transform of each of said connected strings of nodes.

6. *(Currently amended)* A computer implemented method of generating a geologic model of a rock property useful in petroleum exploration and production, which model has directionally varying continuity, comprising:

a) specifying a tentative model of a subsurface region of interest for said geologic model having one or more layers;

b) for each of said layers in said tentative model,

[i] specifying a grid of azimuths for nodes in said tentative model;

[ii] using said grid to identify connected strings of nodes within said tentative model;

[iii] performing a spectral simulation on each of said connected strings of nodes, each spectral simulation involving a determination of a phase spectrum from a Fourier transform of each of said connected strings of nodes, a specification of an amplitude spectrum which represents the maximum-desired spatial continuity for each of said connected strings of nodes[,], and the inverse Fourier transform of said phase spectrum and said amplitude spectrum to provide a simulated value of the rock property at each node~~determine updated data values for said nodes in each of said connected strings of nodes;~~ and

[iv] updating said tentative model by substituting the simulated rock-property values for the values in the corresponding nodes in the tentative model~~with data values resulting from said spectral simulations.~~

7. *(Previously presented)* The method of claim 6, wherein one or more of each of said connected strings of nodes is padded with additional data values prior to

calculation of the Fourier transform of said one or more of each of said connected strings of nodes.

8. *(Previously presented)* The method of claim 1, wherein neighboring nodes to each said node in each of said connected strings of nodes are identified and further wherein said spectral simulation is multidimensional.

9. *(Previously presented)* The method of claim 6, wherein neighboring nodes to each said node in each of said connected strings of nodes are identified and wherein said spectral simulation is two-dimensional.

10. *(Original)* The method of claim 1, wherein said tentative model is specified from a spectral simulation comprising:

a) determination of a phase spectrum from a Fourier transform of a first estimate of said tentative model;

b) specification of an amplitude spectrum for said tentative model; and

c) inverse Fourier transforming said phase spectrum and said amplitude spectrum to determine said tentative model.

11. *(Previously presented)* The method of claim 10, where said amplitude spectrum characterizes a short-range continuity desired in said tentative model.

12. *(Original)* The method of claim 10, where said spectral simulation is applied on a layer-by-layer basis to each of one or more layers of said tentative model.

13. *(Original)* The method of claim 10, where said tentative model is specified from a three-dimensional spectral simulation.

14. *(Previously presented)* The method of claim 13, wherein said identified connected strings of nodes are used to identify curtains of connected nodes, and two-dimension spectral simulation is applied to each of said curtains.

15. *(Previously presented)* The method of claim 1, wherein a grid of dips is used to identify said connected strings of nodes.

16. *(Previously presented)* The method of claim 1, wherein a combined grid of dips and azimuths are used in three-dimensions to identify said connected strings of nodes.
17. *(Previously presented)* The method of claim 1, wherein said grid of azimuths corresponds to blocks in said tentative model.
18. *(Previously presented)* The method of claim 1, wherein said identifying connected strings of nodes within said tentative model is repeated until each node within the tentative model is associated with one of the connected strings of nodes.
19. *(Previously presented)* The method of claim 1, wherein said geologic model is a model of a geologic rock property selected from a group consisting of: lithology; porosity; acoustic impedance; permeability; and water saturation.

**CONCLUSION**

Each of the claims of the application is limited to the applicants' inventive method for generating a geologic model of a rock property that has directionally varying continuity. Each of these claims is believed to be patentably distinct from all known prior art, including all art cited by the examiner. Therefore, the applicants respectfully request allowance of all pending claims. If the examiner wishes to discuss this application with counsel, please contact the undersigned.

Respectfully submitted,

Date: 20 August 2007

J. Paul Plummer  
J. Paul Plummer  
Reg. No. 40,775

ExxonMobil Upstream Research Company  
P.O. Box 2189 (CORP-URC-SW 337)  
Houston, Texas 77252-2189  
Telephone: (713) 431-7360  
Facsimile: (713) 431-4664

Certification under 37 CFR §§ 1.8(a) and 1.10					
I hereby certify that, on the date shown below, this application/correspondence attached hereto is being:					
<b>MAILING</b>					
<input checked="" type="checkbox"/> deposited with the United States Postal Service in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231. <b>37 C.F.R. § 1.8(a)</b>	<input type="checkbox"/> as "Express Mail Post Office to Addressee" <b>37 C.F.R. § 1.10</b>				
<input checked="" type="checkbox"/> with sufficient postage as first class mail.					
<table border="1"><tr><td>Monica Stansberry</td></tr><tr><td>Printed name of person mailing correspondence</td></tr></table>	Monica Stansberry	Printed name of person mailing correspondence	<table border="1"><tr><td>Express Mail mailing number</td></tr></table>	Express Mail mailing number	
Monica Stansberry					
Printed name of person mailing correspondence					
Express Mail mailing number					
<table border="1"><tr><td><u>Monica Stansberry</u></td></tr><tr><td>Signature of person mailing correspondence</td></tr></table>	<u>Monica Stansberry</u>	Signature of person mailing correspondence	<table border="1"><tr><td>20 August 2007</td></tr><tr><td>Date of Deposit</td></tr></table>	20 August 2007	Date of Deposit
<u>Monica Stansberry</u>					
Signature of person mailing correspondence					
20 August 2007					
Date of Deposit					